

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3161	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:24
L3	94	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3 near3 (table log list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:24
L4	1	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3 near3 (table log list) with remov\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:32
L5	9	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3 near3 (table log list) same remov\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:35
L6	9	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3 near3 (table log list) same complet\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:36
S9	1692	(table log list) with address\$2 with active	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:58
S10	68	S9 and active near3 inactive with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:58
S11	2	"20030135620".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:55

S12	16122	(response reply confirmation) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:56
S13	91	(response reply confirmation) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:57
S14	2	S10 and S13	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:56
S15	190	(response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:04
S16	2	S15 and S10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:57
S17	1784	(table log list) with address\$2 with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:22
S18	72	S17 and active near3 inactive with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:23
S19	3	S15 and S18	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:58

S20	329	log\$1out near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:21
S21	11913	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:39
S22	1784	(table log list) with address\$2 with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:22
S23	75	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:25
S24	248	"43" and active near3 inactive with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:23
S25	3	S23 and active near3 inactive with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:24
S26	14	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand) with fabric	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:46
S27	0	n\$1port\$1id with lpar	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:02

S28	0	n\$1port\$1id with logical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:48
S29	880	logical with port near3 (id identifier address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:49
S30	13	logical near3 partition with port near3 (id identifier address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:49
S31	71	lpar with address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:02
S32	2	S21 and S31	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:03
S33	37	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand) same (active with inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 11:50
S34	14	S33 and (table log list) with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:15
S35	34	lpar near3 address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:16

S36	11913	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:20
S37	1	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:16
S38	2	S35 and (table log list) with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:17
S39	123	(lpar (logical adj1 partition\$3)) near3 address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:20
S40	5	S39 and S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:17
S41	8	S39 and (table log list) with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:18
S42	1	(lpar (logical adj1 partition\$3)) near3 network adj address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:20
S43	8	(US-20030135620-\$ or US-20020091786-\$).did. or (US-5522046-\$ or US-6910108-\$ or US-6807579-\$ or US-5467344-\$ or US-5564040-\$).did. or (US-20030217154-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/07/20 12:51

S44	3	S43 and (fibre fiber fabric)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:52
S45	11	remov\$3 near3 lpar	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:02
S46	15457	710/5,19,36.ccls. 709/223, 225-229,245,250.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:20
S47	587	S46 and S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:03
S48	43	S47 and (response reply confirmation message) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:24
S49	28	lpar same (fabric fiber fibre)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:20
S50	13040	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:31
S51	2	S49 and S50	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:22

S52	532	S50 and (response reply confirmation message) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:23
S53	1	S47 and (response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:14
S54	0	S47 and (response reply confirmation message) with identif\$8 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:24
S55	594	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:13
S56	392	S55 and address\$2 with (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:21
S57	1	S56 and (response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:15
S58	2	S56 and (response reply confirmation message) with address\$2 near3 remov\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:15
S59	6	S56 and (relinquish\$3 (giv\$3 adj up) cease release) near3 address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:12

S60	136	S55 and address\$2 with (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3) same (table log list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:22
S61	9	S60 and (lpar logical adj partition)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:33
S62	261	address\$2 near3 (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3) same (fibre fiber fabric)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:54
S63	43	address\$2 near3 (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3) same (fibre fiber fabric) same (table log list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:08
S64	84	address\$2 near3 (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3) same (fibre fiber fabric) and address near3 (table log list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:57
S65	15477	710/5;19;36.ccls. 709/223, 225-229,245,250.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:09
S66	8	S64 and S65	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:09
S67	3	S64 and (relinquish\$3 (giv\$3 adj up) cease release) near3 address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:12

S68	1	S64 and (response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:58
S69	21	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:33
S70	1	S64 and S69	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:45
S71	7	S64 and fcp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:45
S72	506	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with port\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:52
S73	8	S72 and port\$3 near5 (lpar partition)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:52
S74	470	(logo) near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:55
S75	1	S64 and S74	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:57

S76	1	S74 and (response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:58
S77	1	S74 and address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:58
S78	11	S74 and address\$2 near3 (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:59
S79	11	("20020133573" "20030189930" "20040093415" "20040093430" "4564903" "4843541" "5239577" "5564040" "5954796" "5963556" "6216162").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/21 10:13
S80	0	("6807579").URPN.	USPAT	OR	ON	2005/07/21 10:20
S81	4	("6327621").URPN.	USPAT	OR	ON	2005/07/21 10:34
S82	20	("4677588" "5237659" "5361256" "5430727" "5442630" "5463625" "5473608" "5475601" "5491693" "5596579" "5832229" "5835723" "5920560" "5959989" "6009467" "6046989" "6097720" "6101180" "6163810" "6181697").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/21 12:48
S83	0	partition with (un\$1register\$3)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:49
S84	290	(un\$1register\$3)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:50

S85	22	(un\$1register\$3)near3 (command instruction request demand) with address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:50
S86	0	(un\$1register\$3)near3 (command instruction request demand) with address\$2 same (partition lpar)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:50
S87	10	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:40
S88	107	address\$2 with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:40
S89	1	address\$2 with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) same (lpar partition)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:41
S90	0	address\$2 with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) same (image)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:42
S91	1	fabric with address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:43

S92	283	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:13
S93	9	(US-20030135620-\$ or US-20020091786-\$).did. or (US-5522046-\$ or US-6910108-\$ or US-6807579-\$ or US-5467344-\$ or US-5564040-\$ or US-6327621-\$).did. or (US-20030217154-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/07/21 15:43
S94	1	S92 and S93	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:43
S95	0	S92 with lpar	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:44
S96	1	S92 and lpar	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:44
S97	16	S92 and partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:07
S98	1	S92 same partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:44
S99	6	"5276813".pn. "5420988".pn. "6084859".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:50

S10 0	11	S92 and fabric	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:10
S10 1	1	S92 same fabric	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:08
S10 2	18	S92 and fibre	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:10
S10 3	20	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with removed same completed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:23
S10 4	1	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with removed with completed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:16